Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4343	714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:09
S2	3455	711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:09
S3	1952	365/185.33.ccls. or 365/94.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:09
S5	835	717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:10
S6	906	712/37.ccls. or 712/226-227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:10
S7	28498	(flash or eeprom or eprom or prom) with (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:15
S8	37580	(variable or parameter or arbitrary) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:52
S9	86	S7 same S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:39
S12	10997	S1 or S2 or S3 or S5 or S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:40
S13	20	S9 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:40

S14	10	S13 and (@ad<="19990819" or @rlad<="19990819")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S15	56387	(flash or eeprom or eprom or prom) same (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:26
S16	68028	(variable or parameter or arbitrary) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:12
S18	506	S15 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:53
S19	352	S18 and (@ad<="19990819" or @rlad<="19990819")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:14
S20	32	S19 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:54
S21	3456	(variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat$3 or modif$4 or chang$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:14
S22	179	S15 same S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:14
S23	127	S22 and (@ad<="19990819" or @rlad<="19990819")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:18
S24	35508	(flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:19

S36	3661	((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:28
S37	19	S28 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:29
S38	15	S28 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:29
S39	16	S37 not S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 11:29
S40	13	S38 not S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 15:39
S41	3	"6510316".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 15:39
S42	3444	711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:32
S43	1949	365/185.33.ccls. or 365/94.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:32
S44	148	712/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:32
S45	833	717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:32

S46	21	shimizu-tomoyasu$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:08
S47	136	(flash or eeprom or eprom or prom) with address with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:23
S48	21	(flash or eeprom or eprom or prom) with address with variable with (program or subprogram or subroutine or routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/02 17:20
S49	0	(shimizu-tomoyasu$.in. and (@ad<="19990819" or @rlad<="19990819")) and ((flash or eeprom or eprom or prom) with address with variable with (program or subprogram or subroutine or routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/02 14:23
S50	0	(shimizu-tomoyasu$.in. and (@ad<="19990819" or @rlad<="19990819")) and ((flash or eeprom or eprom or prom) with address with variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/02 14:23
S51	17	shimizu-tomoyasu$.in. and (@ad<="19990819" or @rlad<="19990819")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:40
S52	8461	(flash or eeprom or eprom or prom) with (extension or extend$3 or expand$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/02 14:58
S53	42	(flash or eeprom or eprom or prom) with (extension or extend$3 or expand$3) with (program or routine or subprogram or subroutine) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/02 14:31
S54	0	((flash or eeprom or eprom or prom) with address with variable with (program or subprogram or subroutine or routine)) and ((flash or eeprom or eprom or prom) with (extension or extend$3 or expand$3) with (program or routine or subprogram or subroutine) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/02 14:31

S70	3	(((((711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.) or (365/185.33.ccls. or 365/94.ccls.) or 712/37.ccls. or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.)) and ((variable or parameter) with address)) and (@ad<="19990819" or @rlad<="19990819")) and (@ad<="19990819" or @rlad<="19990819")) and ((flash or eeprom or eprom or prom) same (address with variable with (program or subprogram or subroutine or routine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:31
S126	22	shimizu-tomoyasu$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:08
S127	3906	711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:09
S128	4929	714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:09
S129	2073	365/185.33.ccls. or 365/94.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:09
S130	1051	717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:10
S131	998	712/37.ccls. or 712/226-227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:10

S13 2	630	(flash or eeprom or eprom or prom) with address with (updat$3 or modifi$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:24
S13 3	92939	(flash or eeprom or eprom or prom) same (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:29
S13 4	5	S126 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:28
S13 5	6328	(flash or eeprom or eprom or prom) same (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension) same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:40
S13 6	12403	S127 or S128 or S129 or S130 or S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:40
S13 7	847	S135 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:40
S13 8	166	S132 and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:40
S13 9	4916	714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S14 0	3863	711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41

S14 1	2056	365/185.33.ccls. or 365/94.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S14 2	1051	717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S14 3	984	712/37.ccls. or 712/226-227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S14 4	31103	(flash or eeprom or eprom or prom) with (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:33
S14 5	41268	(variable or parameter or arbitrary) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S14 6	104	S144 same S145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S14 7	12317	S139 or S140 or S141 or S142 or S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 15:41
S14 8	29	S146 and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:01
S14 9	10	S148 and (@ad<="19990819" or @rlad<="19990819")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:01
S15 0	1820	(flash or eeprom or eprom or prom) with (updat$3 or modif$4 or chang$3 or upgrad$3 or extend$3 or expansion or expand$3 or extension) with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:01

S15 1	1237	S150 and (@ad<="19990819" or @rlad<="19990819")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:02
S15 2	191	S151 and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:29
S15 3	125	S152 and rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:30
S15 4	121	S153 and (cpu or microprocessor or processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:32
S15 5	34728	rom same flash and (cpu or microprocessor or processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:32
S15 6	789	flash with (updat$3 or modif$4 or chang$3 or upgrad$3) with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:35
S15 7	326	S155 and S156	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:35
S15 8	52	S152 and S157	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:36
S15 9	160	((control near2 unit) or controller) same S156	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB.	OR	ON	2005/03/13 16:38

S16 0	14	S158 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 16:38